

TPWN09

TPWN09 "NETWORK" SERIES PALLET TRUCK WITH INTEGRATED DIGITAL SCALE



Easy to use and handy pallet truck with integrated digital scale. It is fitted with <u>4</u> <u>shear-beam load cells</u>, that guarantee the maximum precision in the weighing applications, and a multifunctional <u>weight indicator</u>, with large backlit display that allows an optimal reading of the weight in any lighting condition.

The best solution for advanced industrial applications

PALLET TRUCK SCALE: MAIN FEATURES

- Maximum lifting capacity: 2000 kg.
- Accuracy: +/- 0.2% of the maximum capacity.
- Fork dimensions: 1150 x 550 x 87 mm.
- Weighs about 110 kg.
- Structure in extra thick steel and oven-fire painted mechanics.
- Steering wheels and double loading rollers with a polyurethane coating.
- 4 aluminium shear-beam load cells IP67.
- Weight indicator with 6 25mm digits on a backlit LCD display, which are clearly visible even in poor lighting conditions, and waterproof keyboard, with 5 functional keys.
- Configuration, calibration and diagnostics from keyboard or PC with DINITOOLS.
- Power supply through 4 AA batteries, which may also be rechargeable.
- Operating time: aproximately 40 hours with continuous use, or one month with the typical non continuous use, thanks to the auto switch-off function.
- Programmable auto switch-off, for power saving function.
- Battery level indication.

PALLET TRUCK SCALE: MAIN FUNCTIONS

- Zeroing, Tare
- High Resolution Weighing x 10
- Net/Gross or Ib/kg conversion
- Weight totalization
- Formula weighing
- +/- checkweighing
- Percentage weighing
- Counting

I/O SECTION

• Fitted with Infra-red port (for optional remote control integrated in the handle-bar).

VERSIONS

Versioni disponibili		
	Мах	d
Codice	(kg)	(kg)
TPWN09-2	2000	1
NOTA, selemente de mentere		

NOTA: colonna e timone da montare.



맜

PHOENIX SCALES LTD 34 OLDBURY ROAD WEST MIDLANDS - B70 9ED - WEST BROMWICH - UNITED KINGDOM Tel. 0044 121 520 9048 Fax. 0044 121 557 4006 E-mail sales@phoenixscales.co.uk Web www.phoenixscales.co.uk All the specifications and images can be subject to variations and upgrades without prior notice.